# TEMPLE STONE

#### Range Booklet







## TEMPLE STONE PLUSH



#### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE SHADING: V2 MODERATE SLIP RESISTANCE: R9









TEMPLE STONE PLUSH VC03568 60/60 (9MM)



TEMPLE STONE PLUSH VC03565 30/60 (9MM)



## TEMPLE STONE CORE



#### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE SHADING: V2 MODERATE SLIP RESISTANCE: R9









TEMPLE STONE CORE VC03569 60/60 (9MM)



TEMPLE STONE CORE VC03566 30/60 (9MM)



## TEMPLE STONE PLOW



#### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE SHADING: V2 MODERATE SLIP RESISTANCE: R9









TEMPLE STONE PLOW VC03570 60/60 (9MM)




TEMPLE STONE PLOW VC03567 30/60 (9MM)



### TEMPLE STONE SHADING







Transport Way Cowley Oxford OX4 6LX United Kingdom T. 01865 778 225 www.minoli.co.uk

#### THE SURFACE WITHIN $^{\text{TM}}$

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk